

### Water Source

Drinking water delivered by the District is drawn from wells located in the bed of the Mad River northeast of Arcata. These wells, called Ranney Wells, draw water from the sands and gravel of the riverbed at depths of 60 to 90 feet, thereby providing a natural filtration process. In summer, this naturally filtered water is disinfected via chlorination and delivered to the District's wholesale municipal and retail customers in the Humboldt Bay area.

In winter, it is further treated at a regional Turbidity Reduction Facility (TRF) which reduces the occasional turbidity (cloudiness) in the District's source water. While turbidity itself is not a health concern, the State Department of Health Services (DHS) became concerned that at elevated levels, turbidity could potentially interfere with the disinfection process.

The District's source water has been classified by the DHS as groundwater. The classification is important as to the regulations that a water system must follow to ensure water quality.

### Water Quality in General

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (USEPA) Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA and DHS prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).



Humboldt Bay MWD  
PO BOX 95  
Eureka, CA 95502

## **HUMBOLDT BAY MUNICIPAL WATER DISTRICT 2006 Consumer Confidence Report**

Este informe contiene información muy importante sobre su agua beber.  
Tradúzcalo ó hable con alguien que lo entienda bien.

### Introduction and Background

This report represents Humboldt Bay Municipal Water District's 2006 Consumer Confidence Report (CCR). California regulations prescribe what information must be presented by public water systems in their CCR. This report provides a snapshot of the quality of the water that we provided last year. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or the quality of your drinking water, please call Steve Marshall, Operations Supervisor, at 822-2918. You may also attend one of the regularly scheduled meetings of our Board of Directors held the second Thursday of each month at 9:00 a.m. at our Eureka office (828 7<sup>th</sup> Street).



**Humboldt Bay Municipal Water District's Water Quality Results**

In order to ensure that tap water is safe to drink, the California Department of Health Services (DHS) prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. The District treats its water and performs annual monitoring and testing, in accordance with DHS regulations and requirements, to ensure its water is safe to drink. In 2006, the District conducted more than 324 water quality tests for over 100 contaminants. The results from our 2006 monitoring and testing program indicate that our water quality is very high, as has consistently been the case in past years.

The table at right lists all the drinking water contaminants that were detected during 2006. It also lists the microbiological contaminants even though there were no positive tests. Additionally, the State allows the District to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Therefore, results from prior years are included if such a contaminant was detected when it was last tested for. It is important to note that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

Coliform bacteria are naturally present in the environment and are used as an indicator that other bacteria may be present. Coliform is part of the water quality-testing program to help signal if there is a problem with the treatment or distribution system which warrants further investigation.

Turbidity is a measure of the cloudiness of the water. The District monitors it because it is a good indicator of water quality. High turbidity may hinder the effectiveness of the disinfectants. Since the TRF became operational in late 2002, the District has met the State's secondary maximum contaminant level standard for turbidity.

As the result of severe winter storms that caused a prolonged power outage, the TRF was by-passed for three days during the first week of January 2006. This action did not pose a risk to human health. However, as required by the federal Safe Drinking Water Act, a 30-day notice was sent to the District's customers and newspapers explaining this event. The data for turbidity in the table at the right does not include these three days. The maximum turbidity experienced during the 3-days was 9.09 NTU.

In accordance with federal requirements, the State DHS must conduct source water assessments throughout the state. The purpose of the assessment is to determine the vulnerability of water sources to possible contaminating activities (PCA). DHS conducted a source water assessment of the District's Ranney Wells in August 2002. The source water is considered most vulnerable to the following activities not associated with any detected contaminants: septic systems – low density. DHS determined that there have been no detected chemicals in this water supply. A copy of DHS' assessment may be viewed at DHS, 415 Knollcrest Dr., Suite 110, Redding, CA 96002. A summary of the assessment may be requested by calling DHS at (530) 224-4800. Alternatively, a summary may be requested from the District's Eureka office (828 7<sup>th</sup> Street).

See insert for definitions.

<b>Contaminant and Units</b>	<b>Level Detected</b>	<b>MCL</b>	<b>PHG (or MCLG)</b>	<b>Likely Source and Potential Effects (if above MCL)</b>
<b>Microbiological Contaminants</b>				
Total Coliform Bacteria	Zero positive	More than one positive sample monthly	Zero positive	Coliform bacteria are naturally present in the environment and are used as an indicator that other, potentially harmful, bacteria may be present.
Fecal Coliform and E. coli.	Zero positive	A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform positive	Zero positive	Fecal coliforms and E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes.
<b>Disinfection Byproducts and Disinfectant Residuals</b>				
TTHMs (ug/L) – (Total Trihalomethanes)	Average = 6.0	80 ug/L	n/a	By-product of drinking water chlorination
HAA5 (ug/L) (Haloacetic Acids)	Average = 2.4	60 ug/L	n/a	By-product of drinking water chlorination
Chlorine (mg/L)	Average = 0.65	4 mg/L	4	Drinking water disinfectant added for treatment.
<b>Inorganic Contaminants</b>				
Copper (mg/L)***	Five sites tested. None above the AL 90 <sup>th</sup> percentile=.665	AL = 1.3 mg/L	0.17	Internal corrosion of household plumbing; erosion of natural deposits; leaching from wood preservatives
Lead (ug/L)***	Five sites tested. None above the AL 90 <sup>th</sup> percentile=ND	AL = 15 ug/L	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers, erosion of natural deposits
Aluminum (mg/L)	0.16	0.2 mg/L	n/a	Discharges from industrial manufacturers, erosion of natural deposits
<b>Regulated Contaminants with Secondary MCLs</b> (as defined above, secondary MCLs address aesthetic quality of the water such as odor, taste, and appearance)				
Chloride (mg/L)*	Range = 3.0 – 3.0 Average = 3.0	500 mg/L	n/a	Runoff/leaching from natural deposits, or seawater influence
Sulfate (mg/L)*	Range = 10.2 – 10.2 Average = 10.2	500 mg/L	n/a	Runoff/leaching from natural deposits; industrial wastes
Specific Conductance (umho/cm)**	Range = 169 – 188 Average = 178.5	1,600 umho/cm	n/a	Substances that form ions when in water
Total Dissolved Solids (mg/L)*	Range = 96-98 Average = 97	1,000 mg/L	n/a	Runoff/leaching from natural deposits
Turbidity (NTU)	Range = 0.04 – 0.53 Average = 0.14	5 NTU	n/a	Turbidity has no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

See insert for definitions. \*Samples taken in 2001; \*\*Samples taken in 2002;\*\*\*Samples taken in 2005

## HBMWD 2006 Consumer Confidence Report (Continued)

### Sodium and Hardness

Although sodium and hardness have no maximum contaminant levels, they are of interest to consumers who are concerned about sodium intake:

**Hardness** is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring. Hardness ranged from 57 to 80 mg CaCO<sub>3</sub>/L, with an average of 67 mg CaCO<sub>3</sub>/L. (Samples taken in 2005.)

**Sodium** refers to the salt present in the water and is generally naturally occurring. Sodium ranged from 4.4 ppm to 4.5 ppm, with an average of 4.45 ppm. (Samples taken in 2001.)

You will find many terms and abbreviations in the table. To help you understand these terms, the following definitions are provided:

- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency.
- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs cover the aesthetic quality of the water such as odor, taste, and appearance.
- **Primary Drinking Water Standard or PDWS:** MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- **Regulatory Action level (AL):** The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.
- **n/a:** not applicable
- **ND:** not detectable at testing limit
- **ppb:** parts per billion or micrograms per liter (**µg/L**)
- **ppm:** parts per million or milligrams per liter (**mg/L**)
- **pCi/l:** picocuries per liter (a measure of radiation)
- **mgCaCO<sub>3</sub>/L:** milligrams of calcium carbonate per liter (a measure of hardness)
- **micromhos:** a measure of specific conductance (**umho/cm**)
- **NTU:** Nephelometric Turbidity Units

### Water Source

The Humboldt Bay Municipal Water District (HBMWD), a regional water wholesaler, supplies the drinking water delivered by the Fieldbrook Community Services District (FCSD). HBMWD draws water from wells located in the bed of the Mad River northeast of Arcata. These wells, called Ranney Wells, draw water from the sands and gravel of the riverbed at depths of 60 to 90 feet, thereby providing a natural filtration process. In summer, this naturally filtered water is disinfected via chlorination and delivered to FCSD.

In winter, it is further treated at a regional Turbidity Reduction Facility (TRF) which reduces the occasional turbidity (cloudiness) in HBMWD's source water. While turbidity itself is not a health concern, the State Department of Health Services (DHS) became concerned that at elevated levels, turbidity could potentially interfere with the disinfection process.

HBMWD's source water has been classified by the DHS as groundwater. The classification is important as to the regulations that a water system must follow to ensure water quality.

### Water Quality in General

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (USEPA) Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA and DHS prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Fieldbrook Glendale CSD  
PO BOX 95  
Eureka, CA 95502

## **FIELDBROOK GLENDALE COMMUNITY SERVICES DISTRICT**

### **2006 Consumer Confidence Report**

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

### Introduction and Background

This report represents Fieldbrook Glendale Community Services District's 2006 Consumer Confidence Report (CCR). California regulations prescribe what information must be presented by public water systems in their CCR. This report provides a snapshot of the quality of the water that we provided last year. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or the quality of your drinking water, please call Steve Marshall, Operations Supervisor, at 822-2918. You may also attend one of the regularly scheduled meetings of our Board of Directors held the fourth Tuesday of each month at 7:30 p.m. at the Fieldbrook Fire Hall, 4584 Fieldbrook Road.



**Fieldbrook Glendale CSD Water Quality Results**

In order to ensure that tap water is safe to drink, the California Department of Health Services (DHS) prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. FGCS D water is supplied by the Humboldt Bay Municipal Water District (HBMWD). The HBMWD treats its water and performs annual monitoring and testing, in accordance with DHS regulations and requirements, to ensure its water is safe to drink. In 2006, the HBMWD conducted more than 324 water quality tests for over 100 contaminants. The results from the 2006 monitoring and testing program indicate that the water quality is very high, as has consistently been the case in past years.

The table at right lists all the drinking water contaminants that were detected during 2006 in HBMWD source water and FGCS D locations. It also lists the microbiological contaminants even though there were no positive tests. Additionally, The State allows monitoring for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Therefore, results from prior years are included if such a contaminant was detected when it was last tested for. It is important to note that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

Coliform bacteria are naturally present in the environment and are used as an indicator that other bacteria may be present. Coliform is part of the water quality-testing program to help signal if there is a problem with the treatment or distribution system which warrants further investigation.

Turbidity is a measure of the cloudiness of the water. The HBMWD monitors it because it is a good indicator of water quality. High turbidity may hinder the effectiveness of the disinfectants. Since the TRF became operational in late 2002, HBMWD has met the State’s secondary maximum contaminant level standard for turbidity.

As the result of severe winter storms that caused a prolonged power outage, the TRF was by-passed for three days during the first week of January 2006. This action did not pose a risk to human health. However, as required by the federal Safe Drinking Water Act, a 30-day notice was sent to HBMWD customers and newspapers explaining this event. The data for turbidity in the table at the right does not include these three days. The maximum turbidity experienced during this 3-day period was 9.09 NTU.

In accordance with federal regulations, the State DHS must conduct source water assessments throughout the state. The purpose of the assessment is to determine the vulnerability of water sources to possible contaminating activities (PCA). DHS conducted a source water assessment of the HBMWD Ranney Wells in August 2002. The source water is considered most vulnerable to the following activities not associated with any detected contaminants: septic systems – low density. DHS determined that there have been no detected chemicals in this water supply. A copy of DHS’ assessment may be viewed at DHS, 415 Knollcrest Dr., Suite 110, Redding, CA 96002. A summary of the assessment may be requested by calling DHS at (530) 224-4800. Alternatively, a summary may be requested from the HBMWD Eureka office (828 7<sup>th</sup> Street).

See insert for definitions.

<b>Contaminant and Units</b>	<b>Level Detected</b>	<b>MCL</b>	<b>PHG (or MCLG)</b>	<b>Likely Source and Potential Effects (if above MCL)</b>
<b>Microbiological Contaminants</b>				
Total Coliform Bacteria	Zero positive	More than one positive sample monthly	Zero positive	Coliform bacteria are naturally present in the environment and are used as an indicator that other, potentially harmful, bacteria may be present.
Fecal Coliform and E. coli.	Zero positive	A routine sample and a repeat sample are total coliform positive, and one is also fecal coliform positive	Zero positive	Fecal coliforms and E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes.
<b>Disinfection Byproducts and Disinfectant Residuals</b>				
TTHMs (ug/L) – (Total Trihalomethanes)	Average = 6.0	80 ug/L	n/a	By-product of drinking water chlorination
HAA5 (ug/L) (Haloacetic Acids)	Average = 2.4	60 ug/L	n/a	By-product of drinking water chlorination
Chlorine (ppm)	Average = 0.65	4 mg/L	4	Drinking water disinfectant added for treatment.
<b>Inorganic Contaminants</b>				
Copper (mg/L)***	Ten sites tested. None above the AL 90 <sup>th</sup> percentile=.710	AL = 1.3 mg/L	0.17	Internal corrosion of household plumbing; erosion of natural deposits; leaching from wood preservatives
Lead (ug/L)***	Ten sites tested None above the AL 90 <sup>th</sup> percentile=ND	AL = 15 ug/L	2	Internal corrosion of household water plumbing systems; discharges from Industrial manufacturers, erosion of natural deposits.
Aluminum (mg/L)	0.16	0.2	n/a	Discharges from industrial manufacturers, erosion of natural deposits.
<b>Regulated Contaminants with Secondary MCLs</b> (as defined above, secondary MCLs address aesthetic quality of the water such as odor, taste, and appearance)				
Chloride (mg/L)*	Range = 3.0 – 3.0 Average = 3.0	500 mg/L	n/a	Runoff/leaching from natural deposits, or seawater influence
Sulfate (mg/L)*	Range = 10.2 – 10.2 Average = 10.2	500 mg/L	n/a	Runoff/leaching from natural deposits; industrial wastes
Specific Conductance (umho/cm)**	Range = 169 – 188 Average = 178.5	1,600 umho/cm	n/a	Substances that form ions when in water
Total Dissolved Solids (mg/L)*	Range = 96 – 98 Average = 97	1,000 mg/L	n/a	Runoff/leaching from natural deposits
Turbidity (NTU)	Range = 0.04 – 0.53 Average = 0.14	5 NTU	n/a	Turbidity has no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

See insert for definitions. \* Samples taken in 2001; \*\*Samples taken in 2002;\*\*\*Samples taken in 2005

## FGCSD 2006 Consumer Confidence Report (Continued)

### Sodium and Hardness

Although sodium and hardness have no maximum contaminant levels, they are of interest to consumers who are concerned about sodium intake:

**Hardness** is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring. Hardness ranged from 57 to 80 mg CaCO<sub>3</sub>/L, with an average of 67 mg CaCO<sub>3</sub>/L. (Samples taken in 2005.)

**Sodium** refers to the salt present in the water and is generally naturally occurring. Sodium ranged from 4.4 ppm to 4.5 ppm, with an average of 4.45 ppm. (Samples taken in 2001.)

You will find many terms and abbreviations in the table. To help you understand these terms, the following definitions are provided:

- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency.
- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs cover the aesthetic quality of the water such as odor, taste, and appearance.
- **Primary Drinking Water Standard or PDWS:** MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- **Regulatory Action level (AL):** The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.
- **n/a:** not applicable
- **ND:** not detectable at testing limit
- **ppb:** parts per billion or micrograms per liter (**µg/L**)
- **ppm:** parts per million or milligrams per liter (**mg/L**)
- **pCi/l:** picocuries per liter (a measure of radiation)
- **mgCaCO<sub>3</sub>/L:** milligrams of calcium carbonate per liter (a measure of hardness)
- **micromhos:** a measure of specific conductance (**umho/cm**)
- **NTU:** Nephelometric Turbidity Units